

Principal characteristics

Length - overall (incl. pulpit): 21.20m, 69'6"

Length - hull (incl. platform): 20.40m, 66'9"

Length - waterline (@ half load): 16.25m, 53'3"

Beam (max.): 5.20m, 17'1"

Height above waterline (incl. mast): 4.80m, 15'9"

Height - overall (excl. props): 5.62m, 18'5"

Draft to keel (excl. props): 0.95m, 3'1"

Draft (incl. props): 1.44m, 4'8"

Displacement (@ half load): 30000kg, 66140lb

Fuel capacity: 3900 litres, 1030 US gals

Fresh-water capacity: 700 litres, 185 US gals

Propulsion: Twin FP props in semi-tunnels

Engine options: 2 x MAN D2840 LE403 V10 @ 1050PS (772kW/1036hp), 2 x MAN D2842 LE404 V12 @ 1300PS (956kW/1283hp), 2 x MAN D 2842 LE409 @ 1500PS (1103kW/1479hp)

Fuel options: Diesel

Generators: 20kW @ 60Hz (US)

Maximum speed up to 39 knots*

Cruising speed: 25 knots*

Range up to 380 miles*

Principal features

Built to US Coastguard regulations

Hydraulic lifting platform

Garage under sunlounger

Electric winch with deck and cockpit controls

Hot and cold swim shower

Wetbar with ice maker, ice chest, griddle, hot and cold water

Radar and autopilot

Power-assisted steering

Electronic speedlog, depth sounder and VHF radio

Trim tabs

Air conditioning

Flatscreen television and DVD/CD surround system in saloon

Flatscreen television and DVD in forward and aft staterooms

Radio/CD hi-fi in cockpit

Ceramic hob, microwave/grill, refrigerator and freezer

Hot and cold water system

Automatic fire extinguisher

Automatic bilge pumps

Slow speed generator with silent exhaust

AC shorepower/battery charger

Vacuum toilets with holding tank

Fresh-water marina connection

Teak bathing platform and steps

Teak cockpit

Opening hardtop

All items included in standard specification.

Specification (based on aft stateroom version)

1 Construction

Hand-laid GRP

Gel coat including stripes

Isophthalic polyester skin coat with powderbound mat
Stitched multi-axial reinforced single skin bottom
Balsa cored hull topsides and deck
Hull stiffened with longitudinal stringers supported by transverse bulkheads and floors
Antifouling

2 Deck

Fittings all in stainless steel
8 stainless steel deck cleats
Pulpit and cockpit rails
Stainless steel fendering with rubber insert
Curved safety glass windscreen
Stainless steel bow roller with anchor stop
Stainless steel bow plate
Delta anchor and 60m chain (galvanised)
Electric winch and capstan with deck and cockpit controls 24v
2 x stern electric capstan winches
Chain locker fender stowage
Fender tie bar under anchor locker lid
2 x pantograph windscreen wipers 24v and washers
Fuel fillers port and starboard
Fresh-water filler
IMCO navigation lights
Ensign staff and socket

3 Bathing platform

Hydraulic lifting platform
Teak-laid bathing platform and steps
Hot and cold swimming shower
Fresh-water marina connection
Dockside AC connection
Stainless steel swimming ladder

4 Cockpit

Teak cockpit
Self draining
Stern safety door
Electric winch for recovery of optional tender
Opening hardtop
Deeply upholstered seating for up to 8 around cockpit table
Lockers beneath seating
Glass holders
Wetbar with ice maker, ice chest, hot and cold water, and griddle
Full size sunbather or open cockpit
Overhead cockpit lights 24v
Foot-level courtesy lighting 24v
Boat hook

5 Helm console

2 x helm seats and co-pilot seating
Chart area
Console with burr type walnut fascia
Power-assisted steering
Wood rimmed steering wheel
Single-lever controls
Radar
Autopilot

Full analogue engine instrumentation
Electronic speedlog
Depth sounder
Rudder indicator
Fresh-water gauge
Fuel gauge
VHF radio
Trim tab controls
Compass
Horn
Windscreen wipers and washers
Glass holders
Hand-held fire extinguisher
Radio/CD remote control
Waterproof plug and socket

6 Saloon

Large dining/lounging area with dining table
Lockers beneath seats
Scatter cushions
Overhead cupboards
Flatscreen television
DVD/CD hi-fi surround system
Opening portholes and deck hatches with mosquito screen
Overhead halogen lights 24v
Low-level lighting 24v
Main control panel (AC/DC)
Generator controls
2 x double AC sockets
Choice of lacquered interior finishes and veneers
Drinks cupboard
Fitted carpet
Air conditioning

7 Galley

4 burner ceramic hob
Hob extractor fan
Microwave/Grill
Refrigerator
Freezer
Dishwasher
Sink and drainer
Hot and cold water
Rubbish bin
Cupboard and drawer stowage
6 place crockery set
6 place cutlery set
AC sockets
Hand-held fire extinguisher
Opening porthole with mosquito screen
Air conditioning

8 Forward stateroom

Double berth
Storage beneath
Drawer in base end
Overhead bedside cupboards

Hanging wardrobe
Shelved cupboard
Flatscreen television and DVD player
Halogen overhead lights 24v
2 x reading lights 24v
Opening portholes with mosquito screen
Deck hatch
AC socket
Air conditioning

9 Forward shower room

Vacuum toilet
Avonite counter top
Wash basin
Taps and accessories
Hot and cold water
Separate shower compartment
Extractor fan
Mirrored vanity unit
Shelved cupboard
Toothbrush and glass holder
Towel ring and towels
Halogen overhead light 24v
Opening porthole with mosquito screen and blind
Shaver socket
Air conditioning outlet

10 Starboard guest cabin

2 single fixed Pullman berths
Under berth storage
2 x reading lights 24v
Full hanging wardrobe with mirrored door
Overhead halogen lights 24v
Opening porthole with mosquito screen and curtain
Double AC sockets
Air conditioning

11 Aft stateroom

Double berth
Mirrors either side of headboard
Flatscreen television
DVD player
Radio/CD player
2 x reading lights 24v
Full hanging wardrobe
Dressing table with mirror and stool
Overhead halogen lights 24v
Opening porthole with mosquito screen and curtain
Double AC sockets
Door to en-suite shower room
Air conditioning

12 Port en-suite shower room and day head

Vacuum toilet
Wash basin
Taps and accessories
Hot and cold water

Separate shower compartment
Extractor fan
Mirrored vanity unit
Shelved cupboard
Toothbrush and glass holder
Towel ring and towels
Halogen overhead light 24v
Opening porthole with mosquito screen and blind
Shaver socket
Air conditioning outlet

13 Crew cabin (optional)

Single berth
Under berth storage
Reading lights 24v
Overhead halogen lights 24v
Opening porthole with mosquito screen and curtain
Double AC sockets
Electric toilet
Wash basin
Taps and accessories
Hot and cold water
Shaver socket

14 Engine compartment and ancillaries

Twin engines
Soundproofing throughout engine room
Separate fuel filters/water separators
Automatic fire extinguishers
Engine room and forward bilge flood alarms
2 x automatic bilge pumps
2 x automatic flood pumps
4 x extractor fans 24v
Manual bilge pump

15 Electrical system

Slow speed generator 20kW @ 60Hz with underwater silent exhaust and sound box
AC 240v dockside connection
Galvanic isolator
24v and 12v DC electrical system with full circuit breaker protection
6 x engine batteries 24v circuit
4 x domestic batteries 24v circuit
2 x generator batteries 12v circuit
Alternator split charging system
Remote battery switches controlled from locker in cockpit
95 amp battery charger for 24v circuits
20 amp battery charger for 12v circuits
Water heater 110v AC
AC sockets throughout the boat
24v hand light and cable

16 Underwater gear

5-blade NAB bronze propellers
Bronze P-brackets
2 x 2 1/4" stainless steel Temet 25 shafts
Dripless shaft logs with spare seals
High-performance bronze rudders and struts

Seawater strainers x 2 main engines and 1 for generator
Seacocks on all underwater fittings
Full cathodic bonding system to zinc anodes
Hydraulic trim tabs 24v

17 Systems

Hydraulic power steering engine driven pump
Vacuum toilet system
Aluminium fresh-water tank with electric sending unit
24v fresh-water pressure system
Hot water tank

18 Miscellaneous

Tool kit
Boat hook
Mooring ropes x 4
Fenders x 6
Spare bulbs and fuses
3 sets towels

19 Optional extras

Passerelle
Crew cabin
Day head
Layout option
Air conditioning in hard top
Optional sliding doors to hard top
Boats sold in the USA are built to USCG regulations.

* Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores and number of people can all affect the boat's performance and range. For these and other reasons we can give no performance and range guarantees and they do not constitute an offer to treat or term of contract. The photographs and artist impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist impressions that are not included in the standard inventory of the models shown. The specifications contained in this brochure refer to models sold in the USA. Actual specifications for models sold in other markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Sunseeker dealers and distributors are not owned agents of Sunseeker USA, Inc. or any subsidiary of the holding company. Therefore they have absolutely no authority to commit Sunseeker USA, Inc., or any subsidiary of the holding company to any pledge, contract or agreement in any form or by any means unless first accepted by Sunseeker USA, Inc.